This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

4007	TCICITICACCICCITATICICITITITACACIOGATICITITICATITATATAAATITOTOOOGCAATACACTAOTAAAA
-3486	OTCACTICAATISCOA A O O O O O A A TO A TO A A CALTICA A A O O TICA TAAA O O O O TATAA O O O O O O O O O O
-3407	GTOTTARECTCACCAGAACAAACTTCTGAATTTATATAAACCTAAAAACCTGAAAAACCCGGAACTTGGCAACTTGGT
-3328 -3249 -3170	ANGCACOCAATGAACAOTCATAAGTAACTOOCCAAGOGTAG <u>AGTTCAGATTCAAAAAAAAAAAAAAAAAAAAAAAA</u>
Vertents	
3401470	
-31770>0	
-31752>0	









\$

SN-98 glucuronidadon rates (SN-98GAS)

S veter retain school (SN-38 GN-38-6).





FIG. 4



Pre-treatment total bilirubin (mg/dl) 8000 2000 1500 .1000 Nadir ANC ($\mu\Gamma^1$)